according to Regulation (EC) No 1907/2006

Diotrol Edelwax UV matt

Revision date: 31.05.2021 Product code: 75715 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diotrol Edelwax UV matt

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains (3-(3-(2H-benzotriazol-2-yl) -5-(1,1-dimethylethyl)-4- hydroxyphenyl)

-1-oxopropoxy)-, (3-(3-(2H-Benzotriazol-2-yl)-5-1(1,1-dimethylethyl)-

4-hydroxyphenyl)-1-oxopropyl) - hydroxypoly (oxo1,2-ethanediyl). May produce an allergic

reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name						
	EC No	Index No	REACH No				
	GHS Classification						
	Kohlenwasserstoffe, C10-C13, n-A	kane, iso-Alkane, Cyclisch, < 2% Arc	omaten	40 - < 45 %			
	918-481-9		01-2119457273-39				
	Asp. Tox. 1; H304	•	•				
104810-47-1	(3-(3-(2H-benzotriazol-2-yl) -5-(1,1-dimethylethyl)-4- hydroxyphenyl) -1-oxopropoxy)-						
	400-830-7						
	Skin Sens. 1, Aquatic Chronic 2; H317 H411						
104810-48-2	-2 (3-(3-(2H-Benzotriazol-2-yl)-5-1(1,1-dimethylethyl)- 4-hydroxyphenyl)-1-oxopropyl) - hydroxypoly (oxo1,2-ethanediyl)						
	400-830-7						
	Skin Sens. 1, Aquatic Chronic 2; H317 H411						
22464-99-9	2-Ethylhexansäure, Zirconium salt						
	245-018-1						
	Repr. 2; H361d						

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

Diotrol Edelwax UV matt

Revision date: 31.05.2021 Product code: 75715 Page 2 of 7

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
	918-481-9	Kohlenwasserstoffe, C10-C13, n-Alkane, iso-Alkane, Cyclisch, < 2% Aromaten	40 - < 45 %	
	inhalation: LC50 = >5600000 mg/l (dusts or mists); dermal: LD50 = >3160 mg/kg; oral: LD50 = >5000 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

according to Regulation (EC) No 1907/2006

Diotrol Edelwax UV matt

Revision date: 31.05.2021 Product code: 75715 Page 3 of 7

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL
100-41-4	Ethylbenzene	100	441		TWA (8 h)	WEL
		125	552		STEL (15 min)	WEL
1330-20-7	Xylene: mixed isomers	50	220		TWA (8 h)	WEL
		100	441		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
1330-20-7	Xylene, o-, m-, p- or mixed isomers	methyl hippuric acid (creatinine)	650 mmol/mol		Post shift

8.2. Exposure controls



Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

according to Regulation (EC) No 1907/2006

Diotrol Edelwax UV matt

Revision date: 31.05.2021 Product code: 75715 Page 4 of 7

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Flüssig thixotrop
Colour: Goldgelb
Odour: Mild

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined

Boiling point or initial boiling point and 180 °C

boiling range:

Flash point: 65 °C

Flammability

Solid/liquid: not applicable
Gas: not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits: 0.6 vol. % Upper explosion limits: 6 vol. %

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

The product is not: oxidising.

Vapour pressure: 0.5 hPa

(at 20 °C)

Density (at 20 °C): 0.92 g/cm³

Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined OECD (TG) 117

Relative vapour density: not determined Evaporation rate: not determined Solvent content: 42.5%

9.2. Other information

Solid content: 56.4

SECTION 10: Stability and reactivity

according to Regulation (EC) No 1907/2006

Diotrol Edelwax UV matt

Revision date: 31.05.2021 Product code: 75715 Page 5 of 7

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
	Kohlenwasserstoffe, C10-C13, n-Alkane, iso-Alkane, Cyclisch, < 2% Aromaten						
	oral	LD50 >5000 mg/kg	Rat				
	dermal	LD50 >3160 mg/kg	Rabbit				
	,	LC50 >560000 0 mg/l	Ratte				

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
	Kohlenwasserstoffe, C10-C13, n-Alkane, iso-Alkane, Cyclisch, < 2% Aromaten							
	Acute fish toxicity	LL50 mg/l	>1000	96 h	Regenbogenforelle	ECHA		
	Acute algae toxicity	ErC50 mg/l	>1000		Alge (Pseudokirchneriella subcapitata)			
104810-47-1	(3-(3-(2H-benzotriazol-2-yl)) -5-(1,1-dimethylethyl)-4- hydroxyphenyl) -1-oxopropoxy)-							
	Acute fish toxicity	LC50	2.8 mg/l	96 h		Manufacturer		
	Acute crustacea toxicity	EC50	3.8 mg/l	48 h		Manufacturer		
104810-48-2	(3-(3-(2H-Benzotriazol-2-yl)-5-1(1,1-dimethylethyl)- 4-hydroxyphenyl)-1-oxopropyl) - hydroxypoly (oxo1,2-ethanediyl)							
	Acute fish toxicity	LC50	2.8 mg/l	96 h		Manufacturer		
	Acute crustacea toxicity	EC50	3.8 mg/l	48 h		Manufacturer		

12.2. Persistence and degradability

The product has not been tested.

according to Regulation (EC) No 1907/2006

Diotrol Edelwax UV matt

Revision date: 31.05.2021 Product code: 75715 Page 6 of 7

CAS No	Chemical name							
	Method Value d Source							
	Evaluation							
	Kohlenwasserstoffe, C10-C13, n-Alkane, iso-Alkane, Cyclisch, < 2% Aromaten							
	LC50:	4.3mg/l	4					

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group:

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 43.139 % (396.877 g/l) 2004/42/EC (VOC): 43.139 % (396.877 a/l)

Subcategory according to Directive Interior/exterior trim varnishes and woodstains, including opaque 2004/42/EC:

woodstains - Solvent-borne coatings, VOC limit value: 400 g/l

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

according to Regulation (EC) No 1907/2006

Diotrol Edelwax UV matt

Revision date: 31.05.2021 Product code: 75715 Page 7 of 7

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOFC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.
 H361d Suspected of damaging the unborn child.
 H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains (3-(2H-benzotriazol-2-yl) -5-(1,1-dimethylethyl)-4- hydroxyphenyl)

-1-oxopropoxy)-, (3-(3-(2H-Benzotriazol-2-yl)-5-1(1,1-dimethylethyl)-

 $\hbox{$4$-hydroxyphenyl)-1-oxopropyl)-hydroxypoly (oxo1,2-ethanediyl). May produce an allergic and allergic content of the state of the s$

reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)