Telefax: +41(0)62 285 30 80

# **Safety Data Sheet**

according to UK REACH Regulation

### **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Diotrol Impregnation

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Holzanstrich

### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Maurolin AG

Street: Bodenackerstrasse 64
Place: CH-4657 Dulliken
Telephone: +41(0)62 285 30 70

e-mail: info@maurolin.ch Internet: www.diotrol.com

Supplier

Company name: Diotrol AG Street: Heuriedweg 30 A

Place: D-88131 Lindau am Bodensee
Telephone: +49 (0)8382 88 99 310

e-mail: info@diotrol.com
Internet: www.diotrol.com

1.4. Emergency telephone CH EU Toxzentrum Zürich, telefon +41 44 251 51 51

number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

### **GB CLP Regulation**

### **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.

P501 Dispose of contents/container to gemäss lokalen und nationalen Vorschriften der

Entsorgung.

### Special labelling of certain mixtures

EUH208 Contains propiconazole (ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-

1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole, 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-

2-yn-1-yl butylcarbamate. May produce an allergic reaction.

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

according to UK REACH Regulation

# **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 2 of 10

### 3.2. Mixtures

# **Hazardous components**

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Reg			
	Kohlenwasserstoffe, C10-C	3, n-Alkane, iso-Alkane, Cycli	sch, < 2% Aromaten	80 - < 85 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304		·	
60207-90-1	propiconazole (ISO); (2RS,4 -4-propyl-1,3-dioxolan-2-yl]n	RS;2RS,4SR)-1-{[2-(2,4-dichlonethyl}-1H-1,2,4-triazole	prophenyl)	< 1 %
	262-104-4	613-205-00-0		
	Repr. 1B, Acute Tox. 4, Skir H400 H410	Sens. 1, Aquatic Acute 1, Aqu	uatic Chronic 1; H360D H302 H317	
34590-94-8	(2-Methoxymethylethoxy)pro	panol		< 1 %
	252-104-2		01-2119450011-60	
		•	·	
2457-01-4	Barium Bis(2-ethylhexanoat	< 1 %		
	219-535-8			
	Repr. 2, Acute Tox. 4, Acute	Tox. 4, Eye Dam. 1; H361d H	332 H302 H318	
55406-53-6	3-iodo-2-propynyl butylcarba	< 1 %		
	259-627-5	616-212-00-7		
	Acute Tox. 3, Acute Tox. 4, Chronic 1; H331 H302 H318		DT RE 1, Aquatic Acute 1, Aquatic	
22464-99-9	2-Ethylhexansäure, Zirconiu	m salt		< 1 %
	245-018-1			
	Repr. 2; H361d			
91-20-3	naphthalene	< 0.1 %		
	202-049-5	601-052-00-2		
	Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H351 H302 H400 H410			

Full text of H and EUH statements: see section 16.

according to UK REACH Regulation

# **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 3 of 10

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
	918-481-9	Kohlenwasserstoffe, C10-C13, n-Alkane, iso-Alkane, Cyclisch, < 2% Aromaten	80 - < 85 %
	inhalation: LC5 >5000 mg/kg	0 = >5600000 mg/l (dusts or mists); dermal: LD50 = >3160 mg/kg; oral: LD50 =	
60207-90-1	262-104-4	propiconazole (ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl) -4-propyl-1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole	< 1 %
	oral: ATE = 50 Aquatic Chronic	0 mg/kg Aquatic Acute 1; H400: M=1 c 1; H410: M=1	
2457-01-4	219-535-8	Barium Bis(2-ethylhexanoate)	< 1 %
	inhalation: ATE	E = 11 mg/l (vapours); inhalation: ATE = 1.5 mg/l (dusts or mists); oral: ATE = 500	
55406-53-6	259-627-5	3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate	< 1 %
	I	E = 3 mg/l (vapours); inhalation: ATE = 0.5 mg/l (dusts or mists); oral: ATE = 500 3 Acute 1; H400: M=10 5 1; H410: M=1	
91-20-3	202-049-5	naphthalene	< 0.1 %
	oral: ATE = 50	0 mg/kg	

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Medical treatment necessary. Provide fresh air.. If breathing is irregular or stopped, administer artificial respiration.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Rinse immediately carefully and thoroughly with eye-bath or water.

### After ingestion

Rinse mouth immediately and drink 1 glass of of water. Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

according to UK REACH Regulation

### **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 4 of 10

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

#### 7.3. Specific end use(s)

Holzanstrich

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
91-20-3	Naphthalene	10	50		TWA (8 h)	EU

### 8.2. Exposure controls

according to UK REACH Regulation

# **Diotrol Impregnation**

Product code: 75100 Revision date: 24.02.2022 Page 5 of 10



#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: clear brown Odour: neutral

Melting point/freezing point: not determined Boiling point or initial boiling point and not determined

boiling range:

Flammability: not applicable

not applicable

Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not determined Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined The study does not need to be conducted Water solubility:

> because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined 0.85 g/cm<sup>3</sup> Density (at 20 °C): Relative vapour density: not determined

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not determined

Sustaining combustion: Not sustaining combustion

Oxidizing properties

The product is not: oxidising.

according to UK REACH Regulation

# **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 6 of 10

### Other safety characteristics

Evaporation rate: not determined Solid content: 18%

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

according to UK REACH Regulation

# **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 7 of 10

### **Acute toxicity**

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
	Kohlenwasserstoffe, C1	0-C13, n-Alka	ne, iso-Alka	ne, Cyclisch, < 2% Arom	aten		
	oral	LD50 mg/kg	>5000	Rat			
	dermal	LD50 mg/kg	>3160	Rabbit			
	inhalation (4 h) dust/mist	LC50 0 mg/l	>560000	Ratte			
60207-90-1							
	oral	ATE mg/kg	500				
2457-01-4	Barium Bis(2-ethylhexar	Barium Bis(2-ethylhexanoate)					
	oral	ATE mg/kg	500				
	inhalation vapour	ATE	11 mg/l				
	inhalation dust/mist	ATE	1.5 mg/l				
55406-53-6	3-iodo-2-propynyl butylc	arbamate; 3-i	odoprop-2-y	n-1-yl butylcarbamate			
	oral	ATE mg/kg	500				
	inhalation vapour	ATE	3 mg/l				
	inhalation dust/mist	ATE	0.5 mg/l				
91-20-3	naphthalene						
	oral	ATE mg/kg	500				

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method
	Kohlenwasserstoffe, C10-C13, n-Alkane, iso-Alkane, Cyclisch, < 2% Aromaten				
	Acute fish toxicity	LL50 >1000 mg/l	96 h Regenbogenforelle	ECHA	
	Acute algae toxicity	ErC50 >1000 mg/l	72 h Alge (Pseudokirchneriella subcapitata)		

# 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	-	-	
	Kohlenwasserstoffe, C10-C13, n-Alkane, iso-Alkane, Cyclisch, < 2% Aromaten			
	LC50:	4.3mg/l	4	

# 12.3. Bioaccumulative potential

according to UK REACH Regulation

# **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 8 of 10

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

Land	tranchart	/ADD/DID
Land	transport	(ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

Not restricted
Not restricted
Not restricted
Not restricted

#### Marine transport (IMDG)

14.1. UN number or ID number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No information available.

# 14.7. Maritime transport in bulk according to IMO instruments

according to UK REACH Regulation

### **Diotrol Impregnation**

Revision date: 24.02.2022 Product code: 75100 Page 9 of 10

not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

2010/75/EU (VOC): 80.7 % (685.95 g/l) 2004/42/EC (VOC): 80.7 % (685.95 g/l)

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

**DNEL: Derived No Effect Level** 

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

### according to UK REACH Regulation

### **Diotrol Impregnation**

Product code: 75100 Revision date: 24.02.2022 Page 10 of 10

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

UVCB: Unknown or Variable Compositon, Complex Reaction Products, and Biological Materials

VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

#### F

quatic Chronic 3; H412	Calculation method
Relevant H and EUH statements (number and full text)	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Toxic if inhaled. H331 Harmful if inhaled. H332

Suspected of causing cancer. H351 May damage the unborn child. H360D

Suspected of damaging the unborn child. H361d

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

**EUH208** Contains propiconazole (ISO); (2RS,4RS;2RS,4SR)-1-{[2-(2,4-dichlorophenyl)-4-propyl-

1,3-dioxolan-2-yl]methyl}-1H-1,2,4-triazole, 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-

2-yn-1-yl butylcarbamate. May produce an allergic reaction.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)