

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Diotrol Bootslack hochglänzend

UFI: AU5T-X54Y-P20H-GCCY

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Klarlack

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Company name: Maurolin AG
Street: Bodenackerstrasse 64
Place: CH-4657 Dulliken
Post-office box: 111
CH Dulliken
Telephone: +41(0)622853070 Telefax: +41(0)622853080
E-mail: info@maurolin.ch
Internet: www.maurolin.ch

Supplier

Company name: Diotrol AG
Lindau
Street: Heuriedweg 30 A
Place: D-88131 Lindau am Bodensee
Telephone: +49 (0)8382 88 99 310
E-mail: info@diotrol.com
Contact person: Abteilung Technik Telephone: +41 622853070
E-mail: info@diotrol.com
Internet: www.diotrol.com

1.4. Emergency telephone number:

CH: EU Toxzentrum Zürich, telefon +41 44 251 51 51
DE Giftnotruf Berlin, Notruf: 030 192 40

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

Flam. Liq. 3; H226
Eye Dam. 1; H318
STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements**GB CLP Regulation****Hazard components for labelling**

Fatty Acids, C9-C13-neo, barium salts
Hydrocarbons, C9, aromatics

Signal word: Danger

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 2 of 12

Pictograms:



Hazard statements

H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

EUH208 Contains reaction mass of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene), neodecanoic acid, cobalt salt. May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootsack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 3 of 12

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
92044-82-1	Fatty Acids, C9-C13-neo, barium salts			1 - < 5 %
	295-361-6	056-002-00-7	01-2120781946-36	
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H332 H302 H315 H318			
128601-23-0	Hydrocarbons, C9, aromatics			1 - < 5 %
	918-668-5		01-2119455851-35	
	Flam. Liq. 3, STOT SE 3, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H226 H335 H336 H304 H411 EUH066			
-	reaction mass of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)			< 1 %
	400-830-7	607-176-00-3		
	Skin Sens. 1, Aquatic Chronic 2; H317 H411			
27253-31-2	neodecanoic acid, cobalt salt			< 1 %
	248-373-0		01-2119970733-31	
	Acute Tox. 4, Skin Sens. 1, STOT RE 1, Aquatic Chronic 3; H302 H317 H372 H412			
84418-68-8	Neodecanoic acid, zinc salt, basic			< 1 %
	282-780-4		01-2120770060-67	
	Aquatic Acute 1, Aquatic Chronic 2; H400 H411			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
92044-82-1	295-361-6	Fatty Acids, C9-C13-neo, barium salts	1 - < 5 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1.5 mg/l (dusts or mists); oral: ATE = 500 mg/kg	
27253-31-2	248-373-0	neodecanoic acid, cobalt salt	< 1 %
		oral: ATE = 500 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Bei Auftreten von Symptomen oder in Zweifelsfällen ärztlichen Rat einholen. Bei Bewusstlosigkeit nichts durch den Mund verabreichen, in stabile Seitenlage bringen und ärztlichen Rat einholen.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. Betroffenen an die frische Luft bringen und warm und ruhig halten. Bei unregelmäßiger Atmung oder Atemstillstand künstliche Beatmung einleiten.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Beschmutzte, getränkte Kleidung sofort ausziehen. Bei Berührung mit der Haut sofort abwaschen mit viel Wasser und Seife.

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 4 of 12

Keine Lösemittel oder Verdünnungen verwenden.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist. Einige Minuten lang behutsam mit Wasser ausspülen. Eventuell vorhandene Kontaktlinsen nach Möglichkeit entfernen.

Weiter ausspülen. Sofort ärztlichen Rat einholen.

After ingestion

Rinse mouth immediately and drink 1 glass of water. Bei Verschlucken Mund mit Wasser ausspülen (nur wenn Verunfallter bei Bewusstsein ist). Sofort ärztlichen Rat einholen.

Betroffenen ruhig halten. KEIN Erbrechen herbeiführen.

4.2. Most important symptoms and effects, both acute and delayed

Bei Auftreten von Symptomen oder in Zweifelsfällen ärztlichen Rat einholen.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, ABC-powder, alkoholbeständiger Schaum, Kohlendioxid, Pulver, Sprühnebel, (Wasser)

Unsuitable extinguishing media

scharfer Wasserstrahl

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. Bei Brand entsteht dichter schwarzer Rauch. Das Einatmen gefährlicher Zersetzungsprodukte kann ernste Gesundheitsschäden verursachen.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Atemschutzgerät bereit halten. Geschlossene Behälter in der Nähe des Brandherdes mit Wasser kühlen. Löschwasser nicht in Kanalisation, Erdreich oder Gewässer gelangen lassen.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Von Zündquellen fernhalten. Den betroffenen Bereich belüften. Dämpfe nicht einatmen

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Nicht in die Kanalisation oder Gewässer gelangen lassen. Bei Verschmutzung von Flüssen, Seen oder Abwasserleitungen entsprechend den örtlichen Gesetzen die jeweils zuständigen Behörden informieren.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 5 of 12

Other information

Ausgetretenes Material mit unbrennbarem Aufsaugmittel (z.B. Sand, Erde, Vermiculite, Kieselgur) eingrenzen und zur Entsorgung nach den örtlichen Bestimmungen in den dafür vorgesehenen Behältern sammeln (siehe Abschnitt 13).
Nachreinigung mit Reinigungsmitteln durchführen, keine Lösemittel benutzen.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13 Schutzvorschriften (siehe Kapitel 7 und 8) beachten.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Die Bildung entzündlicher und explosionsfähiger Dampfkonzentrationen in der Luft und ein Überschreiten der Arbeitsplatzgrenzwerte vermeiden. Das Material nur an Orten verwenden, bei denen offenes Licht, Feuer und andere Zündquellen ferngehalten werden. Elektrische Geräte müssen nach dem anerkannten Standard geschützt sein. Das Material kann sich elektrostatisch aufladen. Erdung von Behältern, Apparaturen, Pumpen und Absaugeinrichtungen vorsehen. Das Tragen antistatischer Kleidung einschließlich Schuhwerk wird empfohlen. Böden müssen elektrisch leitfähig sein. Von Hitzequellen, Funken und offenen Flammen fernhalten. Funkensicheres Werkzeug verwenden. Kontakt mit Haut, Augen und Kleidung vermeiden. Stäube, Teilchen und Spritznebel bei der Anwendung dieser Zubereitung nicht einatmen. Einatmen von Schleifstäuben vermeiden. Bei der Arbeit nicht essen, trinken, rauchen. Persönliche Schutzausrüstung: siehe Abschnitt 8.
Niemals Behälter mit Druck leeren - kein Druckbehälter! Stets in Behältern aufbewahren, die dem gleichen Material des Originalbehälters entsprechen. Gesetzliche Schutz- und Sicherheitsvorschriften befolgen.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Dämpfe sind schwerer als Luft. Dämpfe bilden mit Luft explosive Gemische.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Lagerung in Übereinstimmung mit der Betriebssicherheitsverordnung. Behälter dicht geschlossen halten. Niemals Behälter mit Druck leeren - kein Druckbehälter! Rauchen verboten. Unbefugten Personen ist der Zutritt untersagt. Behälter sorgfältig verschlossen aufrecht lagern, um jegliches Auslaufen zu verhindern. Böden müssen den "Richtlinien für die Vermeidung von

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 6 of 12

Zündgefahren infolge elektrostatischer Aufladungen (TRBS 2153)" entsprechen.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Von stark sauren und alkalischen Materialien sowie Oxidationsmitteln fernhalten.

Further information on storage conditions

Hinweise auf dem Etikett beachten. In gut belüfteten und trockenen Räumen zwischen 15 °C und 30 °C lagern. Vor Hitze und direkter Sonneneinstrahlung schützen. Behälter dicht geschlossen halten. Alle Zündquellen entfernen. Rauchen verboten. Unbefugten Personen ist der Zutritt untersagt. Behälter sorgfältig verschlossen aufrecht lagern, um jegliches Auslaufen zu verhindern.

7.3. Specific end use(s)

Technisches Merkblatt beachten. Gebrauchsanweisung beachten.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Flüssig
Colour:	Farblos
Odour:	Charakteristisch

Melting point/freezing point:

Test method
not determined

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 7 of 12

Boiling point or initial boiling point and boiling range:	150 °C
Flammability:	not determined
Lower explosion limits:	0.7 vol. %
Upper explosion limits:	7 vol. %
Flash point:	40 °C
Auto-ignition temperature:	240 °C
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	3 hPa
Density (at 20 °C):	0.92 g/cm ³
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

240°C

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solvent content:

42%

Solid content:

58%

Flow time:

110 4 DIN EN ISO 2431

(at 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

Bei Anwendung der empfohlenen Vorschriften zur Lagerung und Handhabung stabil . Weitere Informationen über

sachgemäße Lagerung: siehe Kapitel 7.

10.3. Possibility of hazardous reactions

Von starken Säuren, starken Basen und starken Oxidationsmittel fernhalten, um exotherme Reaktionen zu vermeiden.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Bei hohen Temperaturen können gefährliche Zersetzungsprodukte entstehen .

10.5. Incompatible materials

No information available.

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootsack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 8 of 12

10.6. Hazardous decomposition products

Bei hohen Temperaturen können gefährliche Zersetzungsprodukte entstehen, z.B.: Kohlendioxid, Kohlenmonoxid, Rauch, Stickoxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12.5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
92044-82-1	Fatty Acids, C9-C13-neo, barium salts				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1.5 mg/l			
27253-31-2	neodecanoic acid, cobalt salt				
	oral	ATE 500 mg/kg			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains reaction mass of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene), neodecanoic acid, cobalt salt. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (On basis of test data)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 9 of 12

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1263

14.2. UN proper shipping name: PAINT

14.3. Transport hazard class(es): 3

14.4. Packing group: II

Hazard label: 3



Classification code: F1

Special Provisions: 163 367 640C 650

Limited quantity: 5 L

Excepted quantity: E2

Transport category: 2

Hazard No: 33

Tunnel restriction code: D/E

Other applicable information (land transport)

Für Gebinde <=450 Liter; kein Gut der Klasse 3

Inland waterways transport (ADN)

14.2. UN proper shipping name: Für Gebinde <=450 Liter; kein Gut der Klasse 3

14.6. Special precautions for user

Warning: Combustible liquid.

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 10 of 12

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Hazchem code: •3YE

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 1.2 % (11.04 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 1.2 % (11.04 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootsack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 11 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquids
 Acute Tox: Acute toxicity
 Asp. Tox: Aspiration hazard
 Skin Irrit: Skin irritation
 Eye Dam: Eye damage
 Skin Sens: Skin sensitisation
 STOT SE: Specific target organ toxicity - single exposure
 STOT RE: Specific target organ toxicity - repeated exposure
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 UVCB: Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).
 EC/EEC: European Community/European Economic Community
 EU: European Union
 M-factor: Multiplying factor
 VOC: volatile organic compound

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Dam. 1; H318	Calculation method
STOT SE 3; H336	On basis of test data

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.
 H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.

Safety Data Sheet

according to UK REACH Regulation

Diotrol Bootslack hochglänzend

Revision date: 19.12.2025

Product code: 75905

Page 12 of 12

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains reaction mass of alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene), neodecanoic acid, cobalt salt. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)